

# STATEMENT OF COMPLIANCE

The product Photovoltaic Module has been tested by UL India Private Limited and found to comply in accordance with the Standard indicated on this report.

**Project Number:** 4790855920.12.1

**Report Number:** 4790855920.12.1-OTHER-S1 Dated 31 October 2023

**Test Location:** UL India Private Limited

**Issued to:** PIXON GREEN ENERGY PRIVATE LIMITED  
R.S NO. 1571/1, 158/1, 158/2, 165/1, SURVEY  
NO. 15/1, DEPALIYA, TALUKA: KHIJADIYA NANA, DIST: RAJKOT, GUJARAT, 360110.

**Tested Model:** PIX MBHTB 156 595 (Refer to Report No. 4790855920.12.1-OTHER-S1 for BOM and Test details)

**Models Covered\*:** Mono-Crystalline Photovoltaic Modules with maximum 1500V system voltage:

156 cells module: PIX MBHTB 156 AAA, AAA stands for power range from 560~600, in step of 5 W.  
144 cells module: PIX MBHTB 144 AAA, AAA stands for power range from 510~560, in step of 5 W.  
132 cells module: PIX MBHTB 132 AAA, AAA stands for power range from 470~510, in step of 5 W.  
120 cells module: PIX MBHTB 120 AAA, AAA stands for power range from 420~460, in step of 5 W.  
108 cells module: PIX MBHTB 108 AAA, AAA stands for power range from 370~410, in step of 5 W.  
156 cells module: PIX MPH 156 AAA, AAA stands for power range from 560~600, in step of 5 W.  
144 cells module: PIX MPH 144 AAA, AAA stands for power range from 510~560, in step of 5 W.  
132 cells module: PIX MPH 132 AAA, AAA stands for power range from 470~510, in step of 5 W.  
120 cells module: PIX MPH 120 AAA, AAA stands for power range from 420~460, in step of 5 W.  
108 cells module: PIX MPH 108 AAA, AAA stands for power range from 370~410, in step of 5 W.  
156 cells module: PIX MPHB 156 AAA, AAA stands for power range from 560~600, in step of 5 W.  
144 cells module: PIX MPHB 144 AAA, AAA stands for power range from 510~560, in step of 5 W.  
132 cells module: PIX MPHB 132 AAA, AAA stands for power range from 470~510, in step of 5 W.  
120 cells module: PIX MPHB 120 AAA, AAA stands for power range from 420~460, in step of 5 W.  
108 cells module: PIX MPHB 108 AAA, AAA stands for power range from 370~410, in step of 5 W.

**Standard(s):** PID (Potential Induced Degradation) Testing of Solar Photovoltaic modules as per IEC TS 62804 – Test Methods for The Detection of Potential-Induced Degradation Part 1: Crystalline Silicon Photovoltaic Modules. Edition 1.0, 2015-08

**Test Condition:** [Positive Grounding] (Severity level as per MNRE requirement: 3 Cycles at 85°C ± 2°C, 85 ± 3% of RH for 96Hrs – Total 288Hrs)

\* Manufacturer declares that samples submitted for evaluation are representative of the covered models and produced using the same materials, components, equipment, and processes. Details of the bill of materials are provided in the test report. Any change in design, materials, components, equipment, and processes may require retesting to maintain the compliance.


**Disclaimer:** Test results apply only to the sample(s) actually tested by UL India Private Limited or its vendor. The client provided all of the test samples for testing by UL. UL did not select the samples or determine whether the samples provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The client and or manufacturer are solely and fully responsible for conformity of all products to all applicable standards, specifications or requirements. UL Logo and Marks shall not be used in connection with the above tested product(s). Only those products bearing the UL Listing and Classification Marks should be considered as being covered by UL's Listing, Classification and Follow-Up Service. Look for the UL Listing and Classification Mark on the product.

**Issued By:**



Kantha Raju H S  
UL India Private Limited

**Authorized By**



N Srimathy  
UL India Private Limited

